

**PRODUCT INFORMATION SHEET**

These items were imported by: -  
Just 1 Source & Supply Limited, Barton Hill, Whitwell, York. YO60 7JX  
Telephone: 01653 617718 - [www.just1source.com](http://www.just1source.com)

These items comply with the requirements of the EU Regulation 2016/425 & Regulation 2016/425 on personal protective equipment, as amended to apply in GB, in line with the harmonised and designated standard(s) referenced below.

**NOTE:** - Declarations of Conformity can be found at [www.just1source.com](http://www.just1source.com)


Type "A" gloves are recommended for processes other than TIG Welding when high dexterity Type "B" gloves are recommended.

**NOTE:** - There is no standardised test method at present for detecting U.V. penetration of materials for gloves but the current methods of construction of protective gloves for welders do not normally allow penetration of U.V.

**Limitations of use:**

EN 388:2016 + A1:2018, EN ISO 21420:2020, EN 12477:2001 + A1:2005 - The overall classification of gloves with two or more layers does not necessarily reflect the performance of the outermost layer. Gloves should not be worn when there is a risk of entanglement by moving parts or machinery. The EN388 test results shown below are taken from the palm area of the glove.

**EN 388:2016 + A1:2018**



**2122X**

**EN ISO 21420:2020**



**EN 407:2020**



**412X4X**

**European Standards - TYPE B – EN 12477:2001 + A1:2005**

These gloves do not provide protection against electric shock caused by defective equipment or live working, and the electrical resistance is reduced if gloves are wet, dirty or soaked with sweat, this could increase the risk.

Test	Performance Level	Test	Performance Level
<b>EN 388:2016 + A1:2018</b>		<b>EN 407:2020</b>	
Abrasion	<b>2 (Scale 1-4)</b>	Burning Behaviour	<b>4 (Scale 0-4)</b>
Blade Cut	<b>1 (Scale 1-5)</b>	Contact Heat	<b>1 (Scale 0-4)</b>
Tear	<b>2 (Scale 1-4)</b>	Convective Heat	<b>2 (Scale 0-4)</b>
Puncture	<b>2 (Scale 1-4)</b>	Radiant Heat	<b>X (Scale 0-4)</b>
ISO 13997 Cut (TDM)	<b>X (Scale A-F)</b>	Small Molten Splash	<b>4 (Scale 0-4)</b>
Impact Protection	<b>(P if passed)</b>	Large Molten Splash	<b>X (Scale 0-4)</b>

Performance levels are measured where the highest number indicates the best protection. "X" indicates that the product has not been tested against this risk

Product Code: - **PRED 6 D** Size: - **10**  
Product Description: - Predator Deerskin Tig Welding Gauntlet


Gauntlets providing protection against mechanical risks and thermal risks. Suitable for use in manual metal welding, cutting and allied processes.


Maintenance: examine gloves for damages, splits and holes before each use. Always replace damaged gloves.

Disposal – Dispose of used gloves as instructed by your local authority

**STORAGE:** Store in dry ambient conditions

**AFTERCARE:** No Cleaning Treatment

 EU Type Certification issued by **Intertek Italia Spa**, Via Guido Miglioli,2/A - 20063 Cernusco sul Naliggio (MI) Italia – **Notified Body 2575**

 UK Type Certification issued by **ITS Testing Services (UK) Ltd**, Centre Court, Meridian Business Park, Leicester. LE19 1WD – **Approved Body AB 0362**