

## PRODUCT INFORMATION SHEET



These items were imported by: -Just 1 Source & Supply Limited, Barton Hill, Whitwell, York. YO60 7JX Telephone: 01653 617718 - www.just1source.com

These items comply with the requirements of the EU Regulation 2016/425 & Regulation 2016/425 on personal protective equipment, as amended to apply in GB, in line with the harmonised and designated standard(s) referenced below.

NOTE: - Declarations of Conformity can be found at www.just1source.com

Limitations of use:

EN 388:2016 + A1:2018, EN511:2006; EN407:2020; EN ISO 21420:2020 - The overall classification of gloves with two or more layers does not necessarily reflect the performance of the outermost layer. Gloves should not be worn when there is a risk of entanglement by moving parts or machinery.

The EN 388 test results shown below are taken from the palm area of the glove.

NOTE: Due to the nature of this product the user is advised to carry out their own risk assessment depending on application

Temperature durations can be found under Annex B of the EN511 standard. These gloves may lose

EN407:2020

their insulative properties when wet.

EN 388:2016 + A1:2018



4X43E







EN ISO 21420:2020

Test	Performance Level	Test	Performance Level
EN 388:2016 + A1:2018		EN511:2006	
Abrasion	4 (Scale 1-4)	Resistance to Convective Cold	X (Scale 0-4)
Blade Cut (Coup Test)	X (Scale 1-5)		
Tear	4 (Scale 1-4)	Resistance to Contact Cold	2 (Scale 0-4)
Puncture	3 (Scale 1-4)		
ISO 13997 Cut (TDM)	E (Scale A-F)	Permeability by Water	1 (Scale 0-1)
Impact Protection	(P if passed)		

Test	Performance Level
EN407:2020	
Burning Behavior	X (Scale 0-4)
Contact Heat	2 (Scale 0-4)
Convective Heat	X (Scale 0-4)
Radiant Heat	X (Scale 0-4)
Small Molten Splash	X (Scale 0-4)
Large Molten Splash	X (Scale 0-4)

ISO Cut Level	А	В	С	D	Е	F
Newtons	≥2	≥5	≥10	≥15	≥22	≥30

EN511:2006 - Cold Protection	0	1	2	3	4
A. Convective Cold Thermal Insulation ITR in m2.°C/W	l <0.10	0.10 < l < 0.25	0.15 < I <0.22	0.22 < l < 0.30	0.30 < I
B. Contact Cold	R <0.025	0.025 < R	0.050 < R <	0.100 < R	0.150 <r< th=""></r<>
Thermal resistance R in m2.°K/W		<0.050	0.100	< 0.15	
C. Water Penetration Test	Fail	Pass	-	-	-

Performance levels are measured where the highest number indicates the best protection. "X" indicates that the

product has not been tested against this risk.

Product Code: -WS5 Size: 8 - 11 Product Name: -Watersafe Arctic 13g Blue Polyester Outer Liner plus 7g Grey Acrylic Loop Inner Liner, Double Coated Nitrile Product Description: -

Gloves providing protection against mechanical risks.

Maintenance: examine gloves for damage, splits, and holes before each use. Always replace damaged gloves.

Disposal - Dispose of used gloves as instructed by your local authority.

 $(\epsilon)$ 

EU Type Certification issued by CTC, 4 Rue Hermann Frenkel, 69367 LYON, Cedex 07, FRANCE – *Notified Body 0075* 



UK Type Certification issued by ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester. LE19 1WD-Approved Body AB 0362

STORAGE: Store in dry ambient conditions

AFTERCARE: No Cleaning Treatment