



just 1

Predator[®] by RON




OUR BRANDS INCLUDE



ISO9001 APPROVED FACTORIES



BESPOKE & DESIGN



SERVICE AVAILABLE



DELIVERY SCHEDULES
AVAILABLE



OVER £1.75 MILLION STOCK HOLDING



DISTRIBUTION PARTNERS



Quality is remembered long after price has been forgotten





Dave Lawson
CEO



Graham Murray
Managing Director



Colin McLorg
Sales Director




Helen Lawson
Marketing Director



Kirsty Ward
Sales Office Manager



Max Frankland
Sales & Marketing
Executive



Shely Begum
Sales Administrator



Glyn Sparks
Business Development
Manager



Seamus McManus
Business Development
Manager



Holly Dodds
Director of Finance



Amy Lord
Accounts Manager



Zoe Green
Credit Control



It is my privilege to work with such a happy, dedicated and professional team of people who not only care for you, our customers, but care and support each other. Of course I have to thank our excellent manufacturers who have given their very best over a long period of time; investing in new modern state of the art factories. This enables us to supply consistent quality under our Predator by Ron and Coloursafe brands. I know our designs are right, by the amount of importers copying my innovations.

Thank you for your business...



Glove Standards Explained



EN420 - All protective gloves must comply with the European Standard 'EN420'. This defines the general requirements for protective gloves, in terms of construction, fitness of purpose, dexterity, size and PH values, along with the comfort, practicality, labelling and information given by the supplier. All gloves should bare the CE Marking for sale in the EU market and the UKCA Marking for sale in the UK.

EN388:2016 - Protective Gloves Against Mechanical Hazards



ABCDEF

This standard applies to gloves protecting from a mechanical risk, incorporating Abrasion, Cut, Tear and Puncture. All of the tests are carried out under strict laboratory conditions. Although this test allows you to make comparisons between gloves it does not replace the test under real conditions.

- A - Abrasion resistance (1 to 4)
- B - Cut resistance (1 to 5)
- C - Tear resistance (1 to 4)
- D - Puncture resistance (1 to 4)
- E - Cut performance - ISO13997 (A - F)
- F - Impact Protection - (P if applicable)

Where an X is displayed, the test has not been performed or has been superseded.

| | 1 | 2 | 3 | 4 | 5 |
|--------------------|-------|-------|---------|---------|-------------|
| Abrasion (cycles) | 100 | 500 | 2000 | 8000 | |
| Blade Cut (coupe) | 1.2 | 2.5 | 5 | 10 | 20 |
| Tear (newtons) | 10 | 25 | 50 | 75 | |
| Puncture (newtons) | 20 | 60 | 100 | 150 | |
| | A | B | C | D | E F |
| ISO13997 (newtons) | 2<4.9 | 5<9.9 | 10<14.9 | 15<21.9 | 22<22.9 >30 |

EN407 - Protective Gloves Against Thermal Risks



ABCDEF

This standard represents a glove's thermal performance when working with heat/fire. The test incorporates Burning Behaviour, Contact Heat, Convective Heat, Radiant Heat, Small Molton Splash and Large Molton Splash. Scores from 1 - 4 (4 being best).

- A - Burning behaviour
- B - Contact heat
- C - Convective heat
- D - Radiant heat
- E - Small molten splash
- F - Large molten splash

Where an X is displayed, the test has not been performed.

| | 1 | 2 | 3 | 4 |
|--|-----|-----|-----|-----|
| After Burn Time (seconds) | ≥20 | ≥10 | ≥3 | ≥2 |
| Contact Heat (temp in °C ≥ 15 seconds) | 100 | 250 | 350 | 500 |
| Convective Heat (seconds) | ≥4 | ≥7 | ≥10 | ≥18 |
| Radiant Heat (seconds) | ≥7 | ≥20 | ≥50 | ≥95 |
| Small Molton Splash (no of drops) | ≥10 | ≥15 | ≥25 | ≥35 |
| Large Molton Splash (grams) | 30 | 60 | 120 | 200 |

EN511 - Protective Gloves Against Cold



ABC

This standard applies to gloves which protect against Convective and Contact Cold, as well as testing for Water Permeability. To achieve PASS on Water Permeability the glove must show no signs of water penetration for a minimum of 30 minutes. A and C scored from 1 - 4 (4 being best).

- A - Convective cold
- B - Contact cold
- C - Water permeability

Where an X is displayed, the test has not been performed.

| | 0 | 1 | 2 | 3 | 4 |
|----------------------|--------|-------|-------|-------|-------|
| Convective Cold | >0.10 | 0.10 | 0.15 | 0.22 | 0.30 |
| Contact Cold | >0.025 | 0.025 | 0.050 | 0.100 | 0.150 |
| Water Impermeability | FAIL | PASS | | | |



EN1186 - Food Safety

Gloves which bare this symbol have been tested and certified for use/contact with food substances or related stuffs (i.e. containers).

EN374-1:2016 - Protective Gloves Against Chemicals and Micro-Organisms



This test specifies the requirements for protective gloves intended for use with chemicals and stipulates requirements for permeation, penetration, and degradation.

Gloves are classified as 'Type A', 'Type B', or 'Type C', depending on performance level and the number of chemicals which they protect against.

TYPE A: Achieves level 2 or greater against a minimum of 6 chemicals within the below table.

TYPE B: Achieves level 2 or greater against a minimum of 3 chemicals within the below table.

TYPE C: Achieves level 2 or greater against a minimum of 1 chemicals within the below table.

Please refer to the chemical table below - where codes are noted below the standard sheild, they have been certified for use with the product.

| Code | Chemical | CAS No | Class |
|------|------------------------|-----------|--|
| A | Methanol | 67-56-1 | Primary Alcohol |
| B | Acetone | 67-64-1 | Ketone |
| C | Acetonitrile | 75-05-8 | Nitrile Compound |
| D | Dichloromethene | 75-09-2 | Chlorinated Paraffin |
| E | Carbon Disulphate | 75-15-0 | Organic Compound Containing Sulphur |
| F | Toluene | 108-88-3 | Aromatic Hydrocarbon |
| G | Diethylamine | 109-89-7 | Amine |
| H | Tetrahydrofuran | 109-99-9 | Heterocyclic & Ether Compound |
| I | Ethyl Acetate | 141-78-6 | Ester |
| J | n-Heptane | 142-82-5 | Saturated Hydrocarbon |
| K | 40% Sodium Hydroxide | 1310-73-2 | Inorganic Base |
| L | 96% Sulphuric Acid | 7664-93-9 | Inorganic Mineral Acid |
| M | 65% Nitric Acid | 7697-37-2 | Inorganic Mineral Acid |
| N | 99% Acetic Acid | 64-19-7 | Organic Acid |
| O | 25% Ammonium Hydroxide | 1336-21-6 | Organic Base |
| P | 30% Hydrogen Peroxide | 7722-84-1 | Peroxide |
| S | 40% Hydrofolric Acid | 7664-39-3 | Inorganic Mineral Acid |
| T | 37% Formaldehyde | 50-00-0 | Aldehyde |

EN374-5 - Micro-biological/Virus Protection



This standard specifies performance requirements for gloves that protect against micro-organisms, such as bacteria, viruses, or fungi. Gloves offering protection against Viruses must pass additional penetration tests according to ISO16604:2004 - resistance of protective clothing materials to penetration by blood-bourne pathogens.

Gloves longer than 400mm must also have a sample from the cuff area tested (in addition to the palm) to claim protection against this standard.

AQL - Acceptable Quality Level

AQL is an International Quality Standard; Medical or Non-Medical. AQL denotes a statistical measure of the consistency or quality predictor of manufactured goods. Within the context of disposable gloves this specifically refers to the prevalence of pinholes and the barrier protection confidence level. The lower the AQL number, the higher the quality of the glove: An AQL of 1.5 or lower refers to a glove that is fit for medical purposes. An AQL of 4.0 refers to a glove that is fit for non-medical or industrial purposes.

Glove Categories

Safety gloves are split into 3 categories, based on their design and the level of protection they offer.

Category I - Simple Design:

Gloves in this category are self-certified, and suitable for areas of 'minimal risk', where the effects of wearing a glove are easily reversible or superficial. Examples of applications could include: Packing, Lightweight Gardening, or handling objects below 50oC.

Category II - Intermediate Design:

Gloves in this category will have been EU type tested against applicable European Standards, and certified by a Notified Body. These gloves are for areas of specific risk (i.e. mechanical hazards), and will be of intermediate design - for risks which are neither classified as minimal or irreversible.

Category III - Complex Design:

Gloves in this category are to protect against the highest levels of risk (i.e. irreversible or mortal risks), and are of a complex design. The gloves will have been EU type tested against applicable European Standards, and certified by a Notified Body. Gloves in this category must either be manufactured under an approved quality system or, be subjected to type testing on an annual basis.



Rigger Gloves

| | | |
|--------------------------|-------------------------------|---------------|
| PRED1: Cat II | Signature Tiger Rigger | Page 7 |
|--------------------------|-------------------------------|---------------|

| | | |
|----------------------------|----------------------------|---------------|
| RS1C-TH: Cat II | Winter Power Rigger | Page 7 |
|----------------------------|----------------------------|---------------|

| | | |
|-----------------------------|----------------------------|---------------|
| PRED1-HV: Cat II | Hi-Vis Tiger Rigger | Page 8 |
|-----------------------------|----------------------------|---------------|

| | | |
|----------------------------|--------------------------------------|---------------|
| RS2DP-B: Cat II | Power Plus Double Palm Rigger | Page 8 |
|----------------------------|--------------------------------------|---------------|

| | | |
|------------------------------|------------------------------|---------------|
| PRED2GOLD: Cat II | Signature Hide Rigger | Page 9 |
|------------------------------|------------------------------|---------------|

| | | |
|--------------------------|--------------------------|---------------|
| PRED2: Cat II | Ivory Hide Rigger | Page 9 |
|--------------------------|--------------------------|---------------|

| | | |
|-------------------------|--------------------------|----------------|
| RS1B: Cat II | Power Plus Rigger | Page 10 |
|-------------------------|--------------------------|----------------|

| | | |
|-------------------------|---------------------|----------------|
| RS1C: Cat II | Power Rigger | Page 10 |
|-------------------------|---------------------|----------------|

| | | |
|-------------------------|------------------------|----------------|
| RS1D: Cat II | Standard Rigger | Page 11 |
|-------------------------|------------------------|----------------|

Signature Tiger Rigger



PRED1

Superior Quality Heavy Duty Split Leather Rigger with double palm. Features ergonomically designed Palm & Thumb with Reflective Tape for extra visibility and protection. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Construction, Forestry, Warehousing and Utilities.

EN388:2003



4244

EN388:2016



4243X



Winter Power Rigger (Thinsulate™)



RS1C-TH

Top Quality Split Leather Rigger with strong Black Cotton backing. Fully Thinsulate™ lined with a Knit Wrist to prevent materials (or cold air) entering the Cuff. Leather Knuckle patch with reflective tape for extra visibility and protection.

Size 10 - Cat II

Case Quantity: 50 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing, Construction, applications where additional warmth is required.

EN388:2003



4143

EN388:2016



3143X



Quality is remembered long after price has been forgotten



Hi-Vis Tiger Rigger



PRED1-HV

Superior Quality Heavy Duty Split Leather Rigger with double palm. Features ergonomically designed Palm & Thumb with Reflective Tape and bright Orange Backing for extra visibility and protection. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: Rail, General/Metal Handling, Agriculture, Rigging, Construction, Forestry, Warehousing and Utilities.

EN388:2003



4244

EN388:2016



4243X



Power Plus Double Palm Rigger



RS2DP-B

Top Quality Heavy Duty Split Leather Rigger with Reinforced Palm, First Finger and Thumb for additional protection and wear. Strong Yellow Cotton backing, Rubberised Cuff. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing and Construction.

EN388:2003



4244

EN388:2016



4244X



Signature Hide Rigger



PRED2-GOLD

Superior Quality Gold Cow Hide Rigger, complete with Heavy Duty Rubberised Cuff, Leather Knuckle and Vein Patches. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: General Handling, Agriculture, Construction, Warehousing and Utilities.

EN388:2003



3132

EN388:2016



2132X



Ivory Hide Rigger



PRED2

Superior Quality Ivory Cow Hide Rigger, complete with Heavy Duty Rubberised Cuff, Leather Knuckle and Vein Patches. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: General Handling, Agriculture, Construction, Warehousing and Utilities.

EN388:2003



3132

EN388:2016



3132X



Power Plus Rigger



RS1B

Top Quality Split Leather Rigger with strong Black Cotton backing and a Heavy Duty Rubberised Cuff. Leather Vein and Knuckle patches for extra protection. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Also available in size 11.5 (RS1B-VL)

Case Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing and Construction.

EN388:2003



3143

EN388:2016



4132X



Power Rigger



RS1C

Good Quality Split Leather Rigger with strong Red Cotton backing and a Heavy Duty Rubberised Cuff. Leather Vein and Knuckle patches for extra protection. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing and Construction.

EN388:2003



4143

EN388:2016



3143X



Standard Rigger



RS1D

Patch Palm Split Leather Rigger with strong Blue Cotton backing, Pasted Cuff. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing and Construction.



EN388:2016



2223X





Driver's Gloves

**PRED3-GOLD: Gold Hide Driver
Cat II**

Page 13

**PRED3-15: Ivory Hide Driver
Cat II**

Page 13

**PRED3-SB: Standard Driver
Cat II**

Page 13

Gold Drivers Glove



PRED3-GOLD

Superior Quality Gold Hide Driver's Gloves, fully lined with 100% cotton for comfort. Ergonomic key hole thumb design.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: General Handling, Driving, Warehousing, Forestry, Agriculture, Rigging.

EN388:2003



2123

EN388:2016



2132X



Ivory Drivers Glove



PRED3-15

Superior Quality Ivory Hide Driver's Gloves, fully lined with 100% cotton for comfort. Ergonomic key hole thumb design.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: General Handling, Driving, Warehousing, Forestry, Agriculture, Rigging.

EN388:2003



2123

EN388:2016



3122X



Standard Drivers Glove



PRED3-SB

Superior Quality Ivory Hide Driver's Gloves with Split-Leather Back, fully lined with 100% cotton for comfort. Ergonomic key hole thumb design.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: General Handling, Driving, Warehousing, Forestry, Agriculture, Rigging.





Welding Gauntlets

| | | |
|-------------------------------|---|----------------|
| PRED4: Cat II | Signature Mig Gauntlet | Page 15 |
| PRED4RH/LH: Cat II | Signature Mig Gauntlet Right Hand or Left Hand | Page 15 |
| RSW1C-KEV: Cat II | Twaron® Lightning Mig Gauntlet | Page 16 |
| RSW1C-REV: Cat II | Reversible Lightning Mig Gauntlet | Page 16 |
| RSW1C: Cat II | Red Lightning Mig Gauntlet | Page 17 |
| RSW1C-BLUE: Cat II | Blue Lightning Mig Gauntlet | Page 17 |
| PRED6: Cat II | Signature Tig Gauntlet | Page 18 |
| PRED6-D: Cat II | Deerskin Tig Gauntlet | Page 19 |
| PRED6-C: Cat II | Standard Tig Gauntlet | Page 19 |

Signature Mig Gauntlet



PRED4 / PRED4-16

Superior Quality Split Leather Gold Gauntlet with Reinforced Palm and Thumb for extra protection and wear. Stitched with Twaron® (Heat-Resistant) Thread and finished with Black Welting. 100% cotton lined for comfort and protection.

Size 11 - Cat II - 14" or 16"

Also available in 16" (PRED4-16)

Case Quantity: 50 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4244

EN388:2016



4234X

EN407



41314X



Signature Mig Gauntlet (Right or Left Hand Only)



PRED4-RH / PRED4-LH

Boxed in cases of Right Hand or Left Hand pairs to avoid wastage when only using one glove.

Size 11 - Cat II - 14"

Case Quantity: 50 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4244

EN388:2016



4234X

EN407



41314X



Twaron® Lightning Mig Gauntlet



RSW1C-KEV

High Quality 14" Split Leather Gauntlet, complete with Reinforced Gold Thumb Crutch for additional protection. Stitched with Twaron® (Heat-Resistant) Thread for longer life. 100% cotton lined for comfort and protection.

Size 11 - Cat II

Case Quantity: 60 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.



Reversible Lightning Mig Gauntlet



RSW1C-REV

High Quality 14" Split Leather Gauntlet in Green. Can be worn on either Hand (ambidextrous). Standard Thread, Black Welting. 100% cotton lined for comfort and protection.

Size 11 - Cat II

Case Quantity: 60 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.



Red Lightning Mig Gauntlet



RSW1C / RSW1C-16

High Quality 14" Split Leather Gauntlet in Red, Standard Thread, Black Welting. 100% cotton lined for comfort and protection.

Size 11 - Cat II - 14" or 16"

Case Quantity: 60 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4233

EN388:2016



3134X

EN407



413X4X



Blue Lightning Mig Gauntlet



RSW1C-BLUE

High Quality 14" Split Leather Gauntlet in Red, Standard Thread, Black Welting. 100% cotton lined for comfort and protection.

Size 11 - Cat II - 14" or 16"

Also available in size 9 (RSW1C-SMALL)

Case Quantity: 60 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4233

EN388:2016



3134X

EN407



413X4X



Signature Tig Gauntlet



PRED6

Superior Quality Goat Hide Leather with Reinforced Thumb Crutch and Vein Patch for additional protection. Stitched with Twaron® (Heat-Resistant) Thread for longer life. 100% cotton lined palm and fingers for comfort and protection.

Size 10, 12 or 13 - Cat II

Also available in size 12 or 13 (PRED6-12 / PRED6-13)

Case Quantity: 100 pairs

Application Guide: Tig Welding, Gardening, Utilities, Crafts.



EN388:2003



2121

EN388:2016



2121X

EN407



412X4X



Deerskin Tig Gauntlet



PRED6-D

Superior Quality Deer Hide Leather with Reinforced Thumb Crutch and Vein Patch for additional protection. Stitched with Twaron® (Heat-Resistant) Thread for longer life. 100% cotton lined palm and fingers for comfort and protection.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: Tig Welding, Gardening, Utilities, Crafts.

EN388:2003



2121

EN388:2016



2121X

EN407



412X4X



Standard Tig Gauntlet



PRED6-C

Great Quality, Supple Goat Hide Gauntlet with Split Leather back of hand. Stitched with Twaron® (Heat-Resistant) Thread for longer life.

Size 10 - Cat II

Case Quantity: 100 pairs

Application Guide: Tig Welding, Gardening, Utilities, Crafts.

EN388:2003



2122

EN388:2016



2122X

EN407



413X4X





Coloursafe

Low Cut Gloves

| | | |
|-------------------------|--|----------------|
| PUPL: Cat II | Pred RUBY Cut Level 1 & Cut Level A | Page 21 |
|-------------------------|--|----------------|

| | | |
|-------------------------------|---|----------------|
| BLACK-PUPL: Cat II | Pred JET Cut Level 1 & Cut Level A | Page 21 |
|-------------------------------|---|----------------|

| | | |
|---------------------------|--------------------------------------|----------------|
| NFPL-R: Cat II | Pred CARDINAL Cut Level 1 | Page 22 |
|---------------------------|--------------------------------------|----------------|

| | | |
|-------------------------|---|----------------|
| NSPL: Cat II | Pred SCARLET Cut Level 1 & Cut Level A | Page 22 |
|-------------------------|---|----------------|

| | | |
|---------------------------|--|----------------|
| PRED11: Cat II | Pred ESCAPE (Detachable Fingertips) Cut Level 1 | Page 23 |
|---------------------------|--|----------------|

Coloursafe

Pred RUBY - Cut Level 1 & Cut Level A



PUPL

13 Gauge seamless Polyester liner, Palm Coated in High Quality Polyurethane (PU). Open back offering great Dexterity and Breathability.

Size 7 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: The Perfect Lightweight General Handling Glove. Agriculture, Construction, Automotive, Utilities, Warehousing.

EN388:2003



4131

EN388:2016



4141A



Coloursafe

Pred JET - Cut Level 1 & Cut Level A



BLACK-PUPL

13 Gauge seamless Polyester liner, Palm Coated in High Quality Polyurethane (PU). Open back offering great Dexterity and Breathability.

Size 7 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: The Perfect Lightweight General Handling Glove. Agriculture, Construction, Automotive, Utilities, Warehousing.

EN388:2003



4131

EN388:2016



4141A



Coloursafe

Pred CARDINAL - Cut Level 1



NFPL-R

13 Gauge seamless Ribbed Polyester liner, Palm Coated in High Quality Nitrile Foam giving resistance to oils and grease. Open back offering great Dexterity and Breathability.

Size 8 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: General Handling, Agriculture, Construction, Automotive, Utilities, Warehousing. Ribbed Liner offers great Grip.

EN388:2003



3121

EN388:2016



4121X



Coloursafe

Pred SCARLET - Cut Level 1 & Cut Level A



NSPL

13 Gauge seamless Polyester liner, Palm Coated in High Quality Smooth Nitrile giving resistance to oils and grease. Open back offering great Dexterity and Breathability.

Size 7 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: General Handling, Agriculture, Construction, Automotive, Utilities, Warehousing.

EN388:2003



4121

EN388:2016



4132A



Pred ESCAPE - Cut Level 1 (Detachable Fingertips)



PRED11

15 Gauge Nylon/Spandex liner. Palm Coated in Ultra-Thin Nitrile Foam. Features Perforated, Detachable Fingertips as a Safety Feature when working with moving parts. This unique feature allows the wearer to tailor the fingertips to their requirements.

Size 8 to 10 - Cat II

Case Quantity: 120 pairs

Application Guide: Construction, Electrical, Engineering, Assembly, Warehousing, Automotive, Plant & Machinery, General Handling.



EN388:2016



4121X





Coloursafe

Latex Grip Gloves

| | | |
|----------------------------|--|----------------|
| LCTC-TD: Cat II | Pred PAWS Cut Level 2 & Cut Level B | Page 25 |
|----------------------------|--|----------------|

| | | |
|------------------------|---|----------------|
| CWP: Cat II | Pred WINTER PAWS Thermal Cut Level 2 | Page 25 |
|------------------------|---|----------------|

| | | |
|---------------------------|---|----------------|
| 2-LCTC: Cat II | Pred AMBER Cut Level 1 & Cut Level A | Page 26 |
|---------------------------|---|----------------|

| | | |
|------------------------------|--|----------------|
| GR-2-LCTC: Cat II | Pred CLOVER Cut Level 1 & Cut Level A | Page 26 |
|------------------------------|--|----------------|

Coloursafe

Pred PAWS - Cut Level 2 & Cut Level B



LCTC-TD

5 Strand seamless Polycotton Yarn Liner with Orange Crinkle Latex Palm Coating, Reinforced Double Dipped Finger Tips for extra wear. Superb Grip and Dexterity - Open Breathable back.

Size 7-11 - Cat II

Case Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling.

EN388:2003



2243

EN388:2016



2244B



Coloursafe

Pred WINTER PAWS - Thermal Cut Level 2



CWP

10 Gauge seamless Acrylic Loop Thermal Hi-Vis Liner, Orange Crinkle Latex Palm Coating, Reinforced Double Dipped Finger Tips for extra wear. Superb Grip and Dexterity - Open Breathable back. Great Thermal properties.

Size 8-11 - Cat II

Case Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling, Infrastructure/Highway Maintenance.

EN388:2016



1243X

EN511



X1X



Coloursafe

Pred AMBER - Cut Level 1 & Cut Level A



2-LCTC

2 Strand seamless Poly-cotton Yarn Liner with Orange Crinkle Latex Palm Coating. Superb Grip and Dexterity - Open Breathable Back.

Size 7-11 - Cat II

Case Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling, Infrastructure/Highway Maintenance.

EN388:2003



2243

EN388:2016



3131A



Coloursafe

Pred CLOVER - Cut Level 1 & Cut Level A



GR-2-LCTC

2 Strand seamless Poly-cotton Yarn Liner with Green Crinkle Latex Palm Coating. Superb Grip and Dexterity - Open Breathable Back.

Size 8-11 - Cat II

Case Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling, Infrastructure/Highway Maintenance.

EN388:2003



2243

EN388:2016



3131A





Coloursafe

Advanced Cut Gloves

| | | |
|----------------------------|-------------------------------------|----------------|
| PUUH-13: Cat II | Pred EMERALD Cut Level C | Page 28 |
|----------------------------|-------------------------------------|----------------|

| | | |
|---------------------------|----------------------------------|----------------|
| NFUH-R: Cat II | Pred MINT Cut Level C | Page 28 |
|---------------------------|----------------------------------|----------------|

| | | |
|----------------------------|----------------------------------|----------------|
| HD-NSUH: Cat II | Pred PINE Cut Level C | Page 29 |
|----------------------------|----------------------------------|----------------|

| | | |
|---------------------------|--|----------------|
| PRED10: Cat II | Pred POWER PAWS Cut Level E | Page 30 |
|---------------------------|--|----------------|

| | | |
|---------------------------|------------------------------------|----------------|
| PRED12: Cat II | Pred NEEDLE Cut Level F | Page 30 |
|---------------------------|------------------------------------|----------------|

Coloursafe

Pred EMERALD - Cut Level C



PUUH-13

13 Gauge seamless Ultra High Molecular one piece Azura Liner with Polyurethane (PU) Palm Coating. Excellent Dexterity and Breathability.

Size 7-11 - Cat II

Case Quantity: 120 pairs

Application Guide: The perfect General Handling Glove where Dexterity, Breathability and Cut Protection are imperative.

EN388:2003



4542

EN388:2016



4X43C



Coloursafe

Pred MINT - Cut Level C



NFUH-R

13 Gauge seamless Ribbed Azura liner, Palm Coated in High Quality Nitrile Foam giving resistance to oils and grease. Open back offering great Dexterity and Breathability. Ribbed Liner offering overall enhanced grip.

Size 8-11 - Cat II

Case Quantity: 120 pairs

Application Guide: Glass Handling, Metal Handling/Fabrication, Agriculture, Assembly/Fitting, any applications where Good Grip and Cut Protection are required.

EN388:2003



4543

EN388:2016



4X44C



Pred PINE - Cut Level C



HD-NSUH

10 Gauge seamless Ultra High Molecular one piece Azura Liner with a Heavy Duty Smooth Nitrile Palm Coating. Good Dexterity and Breathability. Nitrile offers great resistance to oils and grease.

Size 7-11 - Cat II

Case Quantity: 120 pairs

Application Guide: Waste Management, Glass and Metal Handling, any areas where Cut Protection and Durability is required.



EN388:2003



4544

EN388:2016



4X44C



Coloursafe

Pred POWER PAWS - Cut Level E



PRED10

13 Gauge, Cut Level E, Polyester/Aramid Liner, Palm Coated Crinkle Latex, with Double-Dipped Fingertips for increased wear and lifespan. Contact Heat Level 2 (upto 250°C).

Size 8 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: Construction, Banksmen, Scaffolding, Infrastructure, Engineering, Waste Management, Glass/Glazing, Metal Handling/ Fabrication, High-Pressure Cut Applications.

EN388:2016



3X44E

EN407



X2XXXX



Coloursafe

Pred NEEDLE - Cut Level F



PRED12

Maximum Cut Level F, 10 gauge polyester, cotton and steel liner. Hypodermic needle puncture-resistant under ASTM F2878-2010. Fully coated in latex foam offering great grip and water resistance. TPR velcro fastening for a secure fit.

Size 8 to 11 - Cat II

Case Quantity: 40 pairs

Application Guide: Sharps, Refuse, Glass Handling, Fabrication, Needle Protection, Metal Handling, Waste Mangement and Recycling, Local Authorities.

EN388:2003



3X44F





Watersafe

Watersafe Gloves

| | | |
|------------------------|--|----------------|
| WS1: Cat II | Pred ATLANTIC Cut Level 1 | Page 32 |
| WS4: Cat II | Pred BALTIC Thermal Cut Level 2 | Page 32 |
| WS3: Cat II | Pred PACIFIC Cut Level C | Page 33 |
| WS5: Cat II | Pred ARCTIC Thermal Cut Level E | Page 33 |

Watersafe

Pred ATLANTIC - Cut Level 1



WS1

15 Gauge seamless knitted Nylon liner. Waterproof Dual Coated Latex with Sandy Palm Finish. Superb Wet or Dry Grip. This product meets the requirements for resistance to water ingress - tested under ISO15383.

Size 7 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: Perfect for External Use in Wet or Dry Conditions where good Grip and Dexterity are imperative - a great alternative to the traditional Driver's glove. Construction, Agriculture, Warehousing.

EN388:2003



3131

EN388:2016



2141X



Watersafe

Pred BALTIC - Thermal Cut Level 2



WS4

15 Gauge seamless knitted Polyester liner with a 7 Gauge Acrylic-loop inner liner. Waterproof Dual Coated Latex with Sandy Palm Finish. Superb Wet or Dry Grip. Great Thermal properties.

Size 8-11 - Cat II

Case Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling, Cold Stores, Refrigeration, Outdoor Applications, Wet Areas.

EN388:2016



2242X

EN511



X21



Watersafe

Pred PACIFIC - Cut Level C



WS3

13 Gauge seamless Ultra High Molecular one piece Azura Liner. Waterproof Dual Coated Latex with Sandy Palm Finish. This product meets the requirements for resistance to water ingress - tested under ISO15383.

Size 8 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: Perfect for External Use in Wet or Dry Conditions where good Grip, Dexterity and Cut Protection are imperative. Construction, Agriculture, Warehousing, Assembly, Glass and Recycling.

EN388:2003



3544

EN388:2016



2X43C



Watersafe

Pred ARCTIC - Thermal Cut Level E



WS5

13 Gauge Polyester Liner with a Thermal 7 Gauge Acrylic, HPPE & Steel Inner. Waterproof Dual Coated Nitrile with Sandy Palm Finish. Superb Wet or Dry Grip. Great Thermal Properties.

Size 8 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: Cold Storage, Transport, Construction, Gas & Oil, Metal Handling, Plant & Machinery, Wet or Dry Handling, Demolition, Glass, Recycling and Waste Management.

EN388:2016



4X43E

EN511



X21





Touchsafe PolyMAX™ Gloves

| | | |
|------------------------|------------------------------------|----------------|
| TS1: Cat II | Pred SENSOR Cut Level 1 | Page 35 |
|------------------------|------------------------------------|----------------|

| | | |
|------------------------|-------------------------------------|----------------|
| TS2: Cat II | Pred CONTACT Cut Level C | Page 36 |
|------------------------|-------------------------------------|----------------|

| | | |
|------------------------|-----------------------------------|----------------|
| TS3: Cat II | Pred MIDAS Cut Level F | Page 36 |
|------------------------|-----------------------------------|----------------|

| | | |
|------------------------|------------------------------------|----------------|
| TS4: Cat II | Pred IMPACT Cut Level F | Page 37 |
|------------------------|------------------------------------|----------------|

Touchsafe

Touchsafe

Pred SENSOR - Cut Level 1



TS1

15 Gauge seamless knitted Nylon and Spandex liner. Palm coated in revolutionary PolyMAX™ - suitable for use in food industries and 100% touchscreen compatible. Incredibly snug 'second skin' offers unquestionable dexterity. PolyMAX™ offers great oil resistance.

Size 8 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: Touchscreen Compatible, Food Grade, Utilities, General Handling, Groundsmen, Automotive, Engineering.

EN388:2016

EN1186



4131X



Touchsafe

Pred CONTACT - Cut Level C



TS2

18 Gauge seamless knitted Nylon, Spandex and TekArmor™ liner. Palm coated in revolutionary PolyMAX™ - suitable for use in food industries and 100% touchscreen compatible. Cut Level C protection. PolyMAX™ offers great oil resistance.

Size 8 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: Touchscreen Compatible, Food Grade, Mid-Level Cut Applications, Steel Works, Glass Works, Utilities, General Handling requiring Cut Resistance.



Touchsafe

Pred MIDAS - Cut Level F



TS3

18 Gauge seamless knitted Nylon, Spandex, Azura and TekArmor™ liner. Palm coated in revolutionary PolyMAX™ - suitable for use in food industries and 100% touchscreen compatible. Cut Level F protection. PolyMAX™ offers great oil resistance.

Size 8 to 11 - Cat II

Case Quantity: 120 pairs

Application Guide: Touchscreen Compatible, Food Grade, High Pressure Cut Applications, Steel Works, Glass Industries.



Touchsafe

Pred IMPACT - Cut Level F



TS4

18 Gauge seamless knitted Nylon, Spandex, Azura and TekArmor™ liner. Padded Palm area coated in revolutionary PolyMAX™. Cut Level F, Contact Heat Resistance up to 250°C, TPR Impact Protection with Reflective Strip and Reinforced Thumb Crutch.

Size 8 to 11 - *Cat II*

Case Quantity: 40 pairs

Application Guide: Touchscreen Compatible, Food Grade, High Pressure Cut Applications, Demolition, Gas & Oil, Extrication, Steel Plants.



EN388:2016



4X42FP

EN407



X2XXXX

EN1186





Gripsafe

Gripsafe Multi-Use Nitrile Gloves

| | | |
|------------------------------|--|----------------|
| RD3023400: Cat III | Ideall® Grip Orange (7 mil) | Page 39 |
| RD3023300: Cat III | Ideall® Grip Black (5.2 mil) | Page 39 |
| RD3001900: Cat III | Nitrylex® Classic (2.8 mil) | Page 40 |
| GSB: Cat III | Gripsafe Blue (15 mil) | Page 40 |

Gripsafe

Ideall® Grip Orange (7 mil)



RD3023400 - CAT III - COMPLEX DESIGN - TYPE B

240 mm, specially formulated 7.0 mil (8.6 gram) Nitrile Glove, featuring diamond texture on the inner and outer to reduce hand fatigue and slips. Gloves are powder free, latex free, and silicone free. AQL 1.5. Touchscreen friendly with unrivalled traction grip.

1 Case = 10 x boxes of 50 gloves


Sizes S/6.5-7.5-XXL/10.5-11.5 - CAT III

Application Guide: Agriculture, Plumbing, Insulation, Veterinary, Automotive, Assembly, Construction, Janitorial, General Handling.



Gripsafe

Ideall® Grip Black (5.2 mil)




RD3023300 - CAT III - COMPLEX DESIGN - TYPE B

240 mm, specially formulated 5.2 mil (6.5 gram) Nitrile Glove, featuring diamond texture on the inner and outer to reduce hand fatigue and slips. Gloves are powder free, latex free, and silicone free. AQL 1.5. Touchscreen friendly with unrivalled traction grip.

1 Case = 10 x boxes of 50 gloves

Sizes S/6.5-7.5-XXL/10.5-11.5 - CAT III

Application Guide: Agriculture, Plumbing, Insulation, Veterinary, Automotive, Assembly, Construction, Janitorial, General Handling.



Gripsafe

Nitrylex® Classic (2.8 mil)



RD3001900 - CAT III - COMPLEX DESIGN - TYPE B

240 mm, specially formulated 2.8 mil (3.6 gram) Nitrile Glove, with anti-static properties. Gloves are powder free, latex free, and silicone free. AQL 1.5. MicroTexture with Additional Texture on the Fingertips for Improved Pinch Grip. Touchscreen friendly and suitable for food use.

1 Case = 10 x boxes of 100 gloves


Sizes S/7-8-XL/10-11 - CAT III

Application Guide: Agriculture, Plumbing, Insulation, Veterinary, Automotive, Assembly, Construction, Janitorial, General Handling.



Gripsafe

Gripsafe Blue (15 mil)



GSB - CAT III - COMPLEX DESIGN - TYPE A

400 mm, specially formulated 15.0 mil Flock Lined Nitrile Gauntlet, featuring a raised diamond grip for enhanced grip and reduced hand fatigue. Gloves are powder free, latex free, and silicone free. AQL 1.5. Touchscreen friendly.

1 Case = 6 x boxes of 10 pairs

Sizes 8/M-11/XXL - CAT III

Application Guide: Chemical Handling, General Handling, Car Detailing, Janitorial, Utilities, Food Processing, Agriculture, Fishing Industries, Sewage, Landscaping.





Sleeves and Gloves

| | | |
|----------------------------|---------------------------------|----------------|
| HPPE-SL: Cat II | Azura Cut Level E Sleeve | Page 41 |
|----------------------------|---------------------------------|----------------|

| | | |
|--------------------------|--|----------------|
| TW-SL: Cat II | Twaron® Cut Level C Heat-Resistant Sleeve | Page 41 |
|--------------------------|--|----------------|

| | | |
|----------------------------|-----------------|----------------|
| PRKW-10: Cat II | PRED PVC | Page 42 |
|----------------------------|-----------------|----------------|

| | | |
|--------------------------|---------------------------|----------------|
| CCMPP: Cat II | Pred COTTON CHROME | Page 42 |
|--------------------------|---------------------------|----------------|

| | | |
|-------------------------|-------------------------|----------------|
| STLKW: Cat I | Pred STOCKINETTE | Page 42 |
|-------------------------|-------------------------|----------------|

| | | |
|-------------------------|-------------------------|----------------|
| STMKW: Cat I | Pred STOCKINETTE | Page 42 |
|-------------------------|-------------------------|----------------|

Coloursafe

Azura Cut Level E Sleeve



HPPE-SL14 / HPPE-SL18

Ultra High Molecular one piece Azura Sleeve with thumb hole offering Cut Level E protection on the palm, wrist and down the forearm. Azura is of high strength, low density and is highly durable.

Size 14" or 18" - Cat II

Case Quantity: 100 Sleeves

Application Guide: Ideal when working in environments where Cut Protection is imperative such as Metal Fabrication, Aerospace, Appliance Manufacture and Sea Fishing.

EN388:2003



354X

EN388:2016



3X4XE



Coloursafe

Twaron® Cut Level C Heat-Resistant Sleeve



TW-SL14 / TW-SL18

Twaron® Aramid fibre one piece Sleeve with thumb hole offering Cut Level C protection and contact Heat Resistance up to 100°C. Twaron® has no melting point and only starts to degrade around 500°C.

Size 14" or 18" - Cat II

Case Quantity: 100 Sleeves

Application Guide: Great for industries where Heat Protection and a level of Cut Protection are required such as Automotive Industries and Steel Foundries.

EN388:2003



133X

EN388:2016



1X4XC

EN407



X1XXXX



Pred PVC



PRKW-10

Natural cotton liner fully coated in Smooth Red PVC, Knitted Wrist for secure fit.

Size 10 - Cat II

Case Quantity: 120 pairs

Application Guide: General Handling, Packing, Warehousing, Non Hazardous Waste.

EN388:2003



4121

EN388:2016



2121X



Pred COTTON CHROME



CCMPP

Natural cotton 8oz drill back, patch palm made from A to C grade Split Leather.

Size 10 - Cat II

Case Quantity: 200 pairs

Application Guide: Assembly, General Handling, Packing, Warehousing, Gardening.

EN388:2003



3132X



Pred STOCKINETTE



STLKW / STMKW

High quality 100% Cotton, Minimal Risk Stockinette liner with Knitted Wrist. Can be worn below other gloves for additional warmth and comfort. Cotton produced by own manufacturer.

Size Med (STLKW) or Lrg (STMKW) - Cat I

Case Quantity: 600 pairs

Application Guide: Assembly Work, Gardening, General Handling, Packaging, Warehousing, Fine Arts.



Coloursafe

Watersafe

Touchsafe

Cut Level Application Guide

RED - GENERAL

- Engineering
- Construction
- Automotive
- General Handling
- Assembly
- Joinery
- Gardening
- Landscaping
- Transport
- Warehousing



ORANGE - INTERMEDIATE

- Engineering
- Construction
- Cold Storage
- Thermal
- Assembly
- Landscaping
- Gardening
- Light Metal Work
- Transport
- General Handling



GREEN - ADVANCED

- Plant & Machinery
- Waste Management
- Demolition
- Construction
- Assembly
- Glass Handling
- Gardening
- Utilities
- Metal Handling
- Recycling



BLUE - ULTIMATE

- Plant & Machinery
- Waste Management
- Demolition
- Construction
- Assembly
- Glass/Metal Handling
- Gardening
- Fabrication
- Transport
- General Handling



sales@just1source.com

01653 617718

www.just1source.com