



just 1

Predator[®] by RON



OUR BRANDS INCLUDE



BESPOKE & DESIGN





Dave Lawson
CEO



Graham Murray
Managing Director



Colin McLorg
Commercial Director




Helen Lawson
Accounts / HR
Consultant



Seamus McManus
Director of Sales



Kirsty Ward
Sales Office Manager




Max Frankland
Sales & Technical
Support



Laura Haddon
Business Development
Manager



Emily Moore
Internal Accounts
Executive



Shely Begum
Office Administrator



Christy Thompson
Office Administrator



Amy Lord
Group Finance
Manager



Zoe Green
Credit Control



It is my privilege to work with such a happy, dedicated and professional team of people who not only care for you, our customers, but care for and support each other. Of course, I have to thank our excellent manufacturers who have given their very best over a long period of time; investing in new modern state of the art factories. This enables us to supply consistent quality under our Predator by Ron and Coloursafe brands. I know our designs are right, by the amount of importers copying my innovations.

Thank you for your business...



Quality is remembered long after price has been forgotten



Glove Standards Explained



EN21420:2020 - All protective gloves must comply with the Standard 'EN21420'. This defines the general requirements for protective gloves, in terms of construction, fitness of purpose, dexterity, size and PH values, along with the comfort, practicality, labelling and information given by the supplier. All gloves should bare the CE Marking for sale in the EU market and the UKCA Marking for sale in the UK.

EN388:2016 + A1:2018 - Protective Gloves Against Mechanical Hazards



ABCDEF

This standard applies to gloves protecting from a mechanical risk, incorporating Abrasion, Cut, Tear and Puncture. All of the tests are carried out under strict laboratory conditions. Although this test allows you to make comparisons between gloves it does not replace the test under real conditions.

- A - Abrasion resistance (1 to 4)
- B - Cut resistance (1 to 5)
- C - Tear resistance (1 to 4)
- D - Puncture resistance (1 to 4)
- E - Cut performance - ISO13997 (A - F)
- F - Impact Protection - (P if applicable)

Where an X is displayed, the test has not been performed or has been superseded.

	1	2	3	4	5
Abrasion (cycles)	100	500	2000	8000	
Blade Cut (coupe)	1.2	2.5	5	10	20
Tear (newtons)	10	25	50	75	
Puncture (newtons)	20	60	100	150	
	A	B	C	D	E F
ISO13997 (newtons)	2<4.9	5<9.9	10<14.9	15<21.9	22<22.9 >30

EN407 - Protective Gloves Against Thermal Risks



ABCDEF

This standard represents a glove's thermal performance when working with heat/fire. The test incorporates Burning Behaviour, Contact Heat, Convective Heat, Radiant Heat, Small Molten Splash and Large Molten Splash. Scores from 1 - 4 (4 being best).

- A - Burning behaviour
- B - Contact heat
- C - Convective heat
- D - Radiant heat
- E - Small molten splash
- F - Large molten splash

Where an X is displayed, the test has not been performed.

	1	2	3	4
After Burn Time (seconds)	≥20	≥10	≥3	≥2
Contact Heat (temp in °C ≥ 15 seconds)	100	250	350	500
Convective Heat (seconds)	≥4	≥7	≥10	≥18
Radiant Heat (seconds)	≥7	≥20	≥50	≥95
Small Molten Splash (no of drops)	≥10	≥15	≥25	≥35
Large Molten Splash (grams)	30	60	120	200

EN511 - Protective Gloves Against Cold



ABC

This standard applies to gloves which protect against Convective and Contact Cold, as well as testing for Water Permeability. To achieve PASS on Water Permeability the glove must show no signs of water penetration for a minimum of 30 minutes. A and C scored from 1 - 4 (4 being best).

- A - Convective cold
- B - Contact cold
- C - Water permeability

Where an X is displayed, the test has not been performed.

	0	1	2	3	4
Convective Cold	>0.10	0.10	0.15	0.22	0.30
Contact Cold	>0.025	0.025	0.050	0.100	0.150
Water Permeability	FAIL	PASS			



EN1186 - Food Safety

Gloves which bare this symbol have been tested and certified for use/contact with food substances or related stuffs (i.e. containers).

EN374-1:2016 - Protective Gloves Against Chemicals and Micro-Organisms



This test specifies the requirements for protective gloves intended for use with chemicals and stipulates requirements for permeation, penetration, and degradation.

Gloves are classified as 'Type A', 'Type B', or 'Type C', depending on performance level and the number of chemicals which they protect against.

TYPE A: Achieves level 2 or greater against a minimum of 6 chemicals within the below table.

TYPE B: Achieves level 2 or greater against a minimum of 3 chemicals within the below table.

TYPE C: Achieves level 2 or greater against a minimum of 1 chemicals within the below table.

Please refer to the chemical table below - where codes are noted below the standard shield, they have been certified for use with the product.

Code	Chemical	CAS No	Class
A	Methanol	67-56-1	Primary Alcohol
B	Acetone	67-64-1	Ketone
C	Acetonitrile	75-05-8	Nitrile Compound
D	Dichloromethane	75-09-2	Chlorinated Paraffin
E	Carbon Disulphate	75-15-0	Organic Compound Containing Sulphur
F	Toluene	108-88-3	Aromatic Hydrocarbon
G	Diethylamine	109-89-7	Amine
H	Tetrahydrofuran	109-99-9	Heterocyclic & Ether Compound
I	Ethyl Acetate	141-78-6	Ester
J	n-Heptane	142-82-5	Saturated Hydrocarbon
K	40% Sodium Hydroxide	1310-73-2	Inorganic Base
L	96% Sulphuric Acid	7664-93-9	Inorganic Mineral Acid
M	65% Nitric Acid	7697-37-2	Inorganic Mineral Acid
N	99% Acetic Acid	64-19-7	Organic Acid
O	25% Ammonium Hydroxide	1336-21-6	Organic Base
P	30% Hydrogen Peroxide	7722-84-1	Peroxide
S	40% Hydrofluoric Acid	7664-39-3	Inorganic Mineral Acid
T	37% Formaldehyde	50-00-0	Aldehyde

EN374-5 - Micro-biological/Virus Protection



This standard specifies performance requirements for gloves that protect against micro-organisms, such as bacteria, viruses, or fungi. Gloves offering protection against Viruses must pass additional penetration tests according to ISO16604:2004 - resistance of protective clothing materials to penetration by blood-borne pathogens.

Gloves longer than 400mm must also have a sample from the cuff area tested (in addition to the palm) to claim protection against this standard.

AQL - Acceptable Quality Level

AQL is an International Quality Standard; Medical or Non-Medical. AQL denotes a statistical measure of the consistency or quality predictor of manufactured goods. Within the context of disposable gloves this specifically refers to the prevalence of pinholes and the barrier protection confidence level. The lower the AQL number, the higher the quality of the glove: An AQL of 1.5 or lower refers to a glove that is fit for medical purposes. An AQL of 4.0 refers to a glove that is fit for non-medical or industrial purposes.

Glove Categories

Safety gloves are split into 3 categories, based on their design and the level of protection they offer.

Category I - Simple Design:

Gloves in this category are self-certified, and suitable for areas of 'minimal risk', where the effects of wearing a glove are easily reversible or superficial. Examples of applications could include: Packing, Lightweight Gardening, or handling objects below 50°C.

Category II - Intermediate Design:

Gloves in this category will have been EU type tested against applicable European Standards, and certified by a Notified Body. These gloves are for areas of specific risk (i.e. mechanical hazards), and will be of intermediate design - for risks which are neither classified as minimal or irreversible.

Category III - Complex Design:

Gloves in this category are to protect against the highest levels of risk (i.e. irreversible or mortal risks), and are of a complex design. The gloves will have been EU type tested against applicable European Standards, and certified by a Notified Body. Gloves in this category must either be manufactured under an approved quality system or, be subjected to type testing on an annual basis.



Rigger Gloves

PRED1: Cat II	Signature Tiger Rigger	Page 7
RS1C-TH: Cat II	Winter Power Rigger	Page 7
PRED1-HV: Cat II	Hi-Vis Tiger Rigger	Page 8
RS2DP-B: Cat II	Power Plus Double Palm Rigger	Page 8
RS1B: Cat II	Power Plus Rigger	Page 9
RS1C: Cat II	Power Rigger	Page 9
RS1D: Cat II	Standard Rigger	Page 10
PRED2GOLD: Cat II	Signature Hide Rigger	Page 11
PRED2: Cat II	Ivory Hide Rigger	Page 11

Signature Tiger Rigger



PRED1

Superior Quality Heavy Duty Split Leather Rigger with double palm. Features ergonomically designed Palm & Thumb with Reflective Tape for extra visibility and protection. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Construction, Forestry, Warehousing and Utilities.

EN388:2003



4244

EN388:2016
+ A1:2018



4243X



Winter Power Rigger (Thinsulate™)



RS1C-TH

Top Quality Split Leather Rigger with strong Black Cotton backing. Fully Thinsulate™ lined with a Knit Wrist to prevent materials (or cold air) entering the Cuff. Leather Knuckle patch with reflective tape for extra visibility and protection.

Size 10 - Cat II

Carton Quantity: 50 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing, Construction, applications where additional warmth is required.

EN388:2003



4143

EN388:2016
+ A1:2018



3143X



Hi-Vis Tiger Rigger



PRED1-HV

Superior Quality Heavy Duty Split Leather Rigger with double palm. Features ergonomically designed Palm & Thumb with Reflective Tape and bright Orange Backing for extra visibility and protection. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: Rail, General/Metal Handling, Agriculture, Rigging, Construction, Forestry, Warehousing and Utilities.

EN388:2003



4244

EN388:2016
+ A1:2018



4243X



Power Plus Double Palm Rigger



RS2DP-B

Top Quality Heavy Duty Split Leather Rigger with Reinforced Palm, First Finger and Thumb for additional protection and wear. Strong Yellow Cotton backing, Rubberised Cuff. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing and Construction.

EN388:2003



4244

EN388:2016
+ A1:2018



4244X



Power Plus Rigger



RS1B

Top Quality Split Leather Rigger with strong Black Cotton backing and a Heavy Duty Rubberised Cuff. Leather Vein and Knuckle patches for extra protection. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Also available in size 11.5 (RS1B-VL)

Carton Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing and Construction.

EN388:2003



3143

EN388:2016
+ A1:2018



4132X



Power Rigger



RS1C

Good Quality Split Leather Rigger with strong Red Cotton backing and a Heavy Duty Rubberised Cuff. Leather Vein and Knuckle patches for extra protection. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing and Construction.

EN388:2003



4143

EN388:2016
+ A1:2018



3143X



Standard Rigger



RS1D

Patch Palm Split Leather Rigger with strong Blue Cotton backing, Pasted Cuff. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: General/Metal Handling, Agriculture, Rigging, Forestry, Warehousing and Construction.

EN388:2016
+ A1:2018



2223X



Signature Hide Rigger



PRED2-GOLD

Superior Quality Gold Cow Hide Rigger, complete with Heavy Duty Rubberised Cuff, Leather Knuckle and Vein Patches. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: General Handling, Agriculture, Construction, Warehousing and Utilities.

EN388:2003



3132

EN388:2016
+ A1:2018



2132X



Ivory Hide Rigger



PRED2

Superior Quality Ivory Cow Hide Rigger, complete with Heavy Duty Rubberised Cuff, Leather Knuckle and Vein Patches. 100% cotton lined palm and fingers adds comfort.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: General Handling, Agriculture, Construction, Warehousing and Utilities.

EN388:2003



3132

EN388:2016
+ A1:2018



3132X





Driver's Gloves

**PRED3-GOLD: Gold Hide Driver
Cat II**

Page 13

**PRED3-15: Ivory Hide Driver
Cat II**

Page 13

**PRED3-SB: Standard Driver
Cat II**

Page 13

Gold Drivers Glove



PRED3-GOLD

Superior Quality Gold Hide Driver's Gloves, fully lined with 100% cotton for comfort. Ergonomic key hole thumb design.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: General Handling, Driving, Warehousing, Forestry, Agriculture, Rigging.

EN388:2003



2123

EN388:2016
+ A1:2018



2132X



Ivory Drivers Glove



PRED3-15

Superior Quality Ivory Hide Driver's Gloves, fully lined with 100% cotton for comfort. Ergonomic key hole thumb design.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: General Handling, Driving, Warehousing, Forestry, Agriculture, Rigging.

EN388:2003



2123

EN388:2016
+ A1:2018



3122X



Standard Drivers Glove



PRED3-SB

Superior Quality Ivory Hide Driver's Gloves with Split-Leather Back, fully lined with 100% cotton for comfort. Ergonomic key hole thumb design.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: General Handling, Driving, Warehousing, Forestry, Agriculture, Rigging.

EN388:2003



2123

EN388:2016
+ A1:2018



3122X





Welding Gauntlets

PRED4: Cat II	Signature Mig Gauntlet	Page 15
PRED4RH/LH: Cat II	Signature Mig Gauntlet Right Hand or Left Hand	Page 15
RSW1C-KEV: Cat II	Twaron® Lightning Mig Gauntlet	Page 16
RSW1C-REV: Cat II	Reversible Lightning Mig Gauntlet	Page 16
RSW1C: Cat II	Red Lightning Mig Gauntlet	Page 17
RSW1C-BLUE: Cat II	Blue Lightning Mig Gauntlet	Page 17
PRED6: Cat II	Signature Tig Gauntlet	Page 18
PRED6-D: Cat II	Deerskin Tig Gauntlet	Page 19
PRED6-C: Cat II	Standard Tig Gauntlet	Page 19

Signature Mig Gauntlet



PRED4

Superior Quality Split Leather Gold Gauntlet with Reinforced Palm and Thumb for extra protection and wear. Stitched with Twaron® (Heat-Resistant) Thread and finished with Black Welting. 100% cotton lined for comfort and protection.

Size 11 - Cat II - 14"

Also available in 16" (PRED4-16)

Carton Quantity: 50 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4244

EN388:2016
+ A1:2018



4234X

EN407



41314X



Signature Mig Gauntlet (Right or Left Hand Only)



PRED4-RH / PRED4-LH

Boxed in cartons of Right Hand or Left Hand pairs to avoid wastage when only using one glove.

Size 11 - Cat II - 14"

Carton Quantity: 50 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4244

EN388:2016
+ A1:2018



4234X

EN407



41314X



Twaron® Lightning Mig Gauntlet



RSW1C-KEV

High Quality 14" Split Leather Gauntlet, complete with Reinforced Gold Thumb Crutch for additional protection. Stitched with Twaron® (Heat-Resistant) Thread for longer life. 100% cotton lined for comfort and protection.

Size 11 - Cat II

Carton Quantity: 60 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4233

EN388:2016
+ A1:2018



3134X

EN407



413X4X



Reversible Lightning Mig Gauntlet



RSW1C-REV

High Quality 14" Split Leather Gauntlet in Green. Can be worn on either Hand (ambidextrous). Standard Thread, Black Welting. 100% cotton lined for comfort and protection.

Size 11 - Cat II

Carton Quantity: 60 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4233

EN388:2016
+ A1:2018



3134X

EN407



413X4X



Red Lightning Mig Gauntlet



RSW1C

High Quality 14" Split Leather Gauntlet in Red, Standard Thread, Black Welting. 100% cotton lined for comfort and protection.

Size 11 - Cat II - 14"

Also available in 16" (RSW1C-16)

Carton Quantity: 60 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4233

EN388:2016
+ A1:2018



3134X

EN407



413X4X



Blue Lightning Mig Gauntlet



RSW1C-BLUE

High Quality 14" Split Leather Gauntlet in Blue, Standard Thread, Black Welting. 100% cotton lined for comfort and protection.

Size 11 - Cat II - 14"

Also available in size 9, 12" (RSW1C-BLUE-SMALL)

Carton Quantity: 60 pairs

Application Guide: Mig Welding, Metal Handling/Fabrication, Agriculture, Utilities.

EN388:2003



4233

EN388:2016
+ A1:2018



3134X

EN407



413X4X



Signature Tig Gauntlet



PRED6

Superior Quality Goat Hide Leather with Reinforced Thumb Crutch and Vein Patch for additional protection. Stitched with Twaron® (Heat-Resistant) Thread for longer life. 100% cotton lined palm and fingers for comfort and protection.

Size 10 - Cat II

Carton Quantity: size 10 = 100 pairs

Application Guide: Tig Welding, Gardening, Utilities, Crafts.



EN388:2003



2121

EN388:2016
+ A1:2018



2121X

EN407



412X4X



Deerskin Tig Gauntlet



PRED6-D

Superior Quality Deer Hide Leather with Reinforced Thumb Crutch and Vein Patch for additional protection. Stitched with Twaron® (Heat-Resistant) Thread for longer life. 100% cotton lined palm and fingers for comfort and protection.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: Tig Welding, Gardening, Utilities, Crafts.



Standard Tig Gauntlet




PRED6-C

Great Quality, Supple Goat Hide Gauntlet with Split Leather back of hand. Stitched with Twaron® (Heat-Resistant) Thread for longer life.

Size 10 - Cat II

Carton Quantity: 100 pairs

Application Guide: Tig Welding, Gardening, Utilities, Crafts.





General Handling Gloves

PUPL: Cat II	Pred RUBY Cut Level 1 & Cut Level A	Page 21
-------------------------	--	----------------

BLACK-PUPL: Cat II	Pred JET Cut Level 1 & Cut Level A	Page 21
-------------------------------	---	----------------

NSPL: Cat II	Pred SCARLET Cut Level 1 & Cut Level A	Page 22
-------------------------	---	----------------

NFPL-R: Cat II	Pred CARDINAL Cut Level 1	Page 22
---------------------------	--------------------------------------	----------------

Coloursafe

Coloursafe

Pred RUBY - Cut Level 1 & Cut Level A



PUPL

13 Gauge seamless Polyester liner, Palm Coated in High Quality Polyurethane (PU). Open back offering great Dexterity and Breathability.

Size 7 to 11 - Cat II

Carton Quantity: 120 pairs

Application Guide: The Perfect Lightweight General Handling Glove. Agriculture, Construction, Automotive, Utilities, Warehousing.

EN388:2003



4131

EN388:2016
+ A1:2018



4141A



EN388:2003



4131

EN388:2016
+ A1:2018



4141A



Coloursafe

Pred JET - Cut Level 1 & Cut Level A



BLACK-PUPL

13 Gauge seamless Polyester liner, Palm Coated in High Quality Polyurethane (PU). Open back offering great Dexterity and Breathability.

Size 7 to 11 - Cat II

Carton Quantity: 120 pairs

Application Guide: The Perfect Lightweight General Handling Glove. Agriculture, Construction, Automotive, Utilities, Warehousing.



Coloursafe

Pred SCARLET - Cut Level 1 & Cut Level A



NSPL

13 Gauge seamless Polyester liner, Palm Coated in High Quality Smooth Nitrile giving resistance to oils and grease. Open back offering great Dexterity and Breathability.

Size 7 to 11 - Cat II

Carton Quantity: 120 pairs

Application Guide: General Handling, Agriculture, Construction, Automotive, Utilities, Warehousing.

EN388:2003



4121

EN388:2016
+ A1:2018



4132A



Coloursafe

Pred CARDINAL - Cut Level 1



NFPL-R

13 Gauge seamless Ribbed Polyester liner, Palm Coated in High Quality Nitrile Foam giving resistance to oils and grease. Open back offering great Dexterity and Breathability.

Size 8 to 11 - Cat II

Carton Quantity: 120 pairs

Application Guide: General Handling, Agriculture, Construction, Automotive, Utilities, Warehousing. Ribbed Liner offers great Grip.

EN388:2003



3121

EN388:2016
+ A1:2018



4121X





Coloursafe

General Latex Grip Gloves

2-LCTC: Cat II	Pred AMBER Cut Level 1 & Cut Level A	Page 24
--------------------------	--	---------

GR-2-LCTC: Cat II	Pred CLOVER Cut Level 1 & Cut Level A	Page 24
-----------------------------	---	---------

Intermediate Latex Grip Gloves

LCTC-TD: Cat II	Pred PAWS Cut Level 2 & Cut Level B	Page 25
---------------------------	---	---------

CWP: Cat II	Pred WINTER PAWS Thermal Cut Level 2	Page 25
-----------------------	--	---------

Coloursafe

Pred AMBER - Cut Level 1 & Cut Level A



2-LCTC

2 Strand seamless Polycotton Yarn Liner with Orange Crinkle Latex Palm Coating. Superb Grip and Dexterity - Open Breathable Back.

Size 7-11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling, Infrastructure/Highway Maintenance.

EN388:2003



2243

EN388:2016
+ A1:2018



3131A



Coloursafe

Pred CLOVER - Cut Level 1 & Cut Level A



GR-2-LCTC

2 Strand seamless Polycotton Yarn Liner with Green Crinkle Latex Palm Coating. Superb Grip and Dexterity - Open Breathable Back.

Size 8-11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling, Infrastructure/Highway Maintenance.

EN388:2003



2243

EN388:2016
+ A1:2018



3131A



Coloursafe

Pred PAWS - Cut Level 2 & Cut Level B



LCTC-TD

5 Strand seamless Polycotton Yarn Liner with Orange Crinkle Latex Palm Coating, Reinforced Double Dipped Fingertips for extra wear. Superb Grip and Dexterity - Open Breathable back.

Size 7-11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling.

EN388:2003



2243

EN388:2016
+ A1:2018



2244B



Coloursafe

Pred WINTER PAWS - Thermal Cut Level 2



CWP

7 Gauge seamless Acrylic Loop Thermal Hi-Vis Liner, Orange Crinkle Latex Palm Coating, Reinforced Double Dipped Fingertips for extra wear. Superb Grip and Dexterity - Open Breathable back. Great Thermal properties.

Size 8-11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling, Infrastructure/Highway Maintenance.

EN388:2016
+ A1:2018



1243X

EN511



X1X





Coloursafe

Advanced Cut Gloves

PUUH-13: Cat II	Pred EMERALD Cut Level C	Page 27
----------------------------	-------------------------------------	----------------

HD-NSUH: Cat II	Pred PINE Cut Level C	Page 27
----------------------------	----------------------------------	----------------

NFUH-R: Cat II	Pred MINT Cut Level C	Page 28
---------------------------	----------------------------------	----------------

Ultimate Cut Gloves

PRED12: Cat II	Pred NEEDLE Cut Level F	Page 29
---------------------------	------------------------------------	----------------

PRED13: Cat II	Pred SAPPHIRE Cut Level F	Page 30
---------------------------	--------------------------------------	----------------



Coloursafe

Pred EMERALD - Cut Level C



PUUH-13

13 Gauge seamless Ultra High Molecular one piece Azura Liner with Polyurethane (PU) Palm Coating. Excellent Dexterity and Breathability.

Size 7-11 - Cat II

Carton Quantity: 120 pairs

Application Guide: The Perfect General Handling Glove where Dexterity, Breathability and Cut Protection are imperative.

EN388:2003



4542

EN388:2016
+ A1:2018



4X43C



Coloursafe

Pred PINE - Cut Level C



HD-NSUH

10 Gauge seamless Ultra High Molecular one piece Azura Liner with a Heavy Duty Smooth Nitrile Palm Coating. Good Dexterity and Breathability. Nitrile offers great resistance to oils and grease.

Size 7-11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Waste Management, Glass and Metal Handling, any areas where Cut Protection and Durability is required.

EN388:2003



4544

EN388:2016
+ A1:2018



4X44C



Coloursafe

Pred MINT - Cut Level C



NFUH-R

13 Gauge seamless Ribbed Azura liner, Palm Coated in High Quality Nitrile Foam giving resistance to oils and grease. Open back offering great Dexterity and Breathability. Ribbed Liner offering overall enhanced grip.

Size 8-11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Glass Handling, Metal Handling/Fabrication, Agriculture, Assembly/Fitting, any applications where Good Grip and Cut Protection are required.

EN388:2003



4543

EN388:2016
+ A1:2018



4X44C



Pred NEEDLE - Cut Level F



PRED12

10 gauge, Maximum Cut Level F, polyester, cotton and steel liner. Hypodermic needle puncture-resistant under ASTM F2878-2010. Fully coated in latex foam offering great grip and water resistance. TPR velcro fastening for a secure fit.

Size 8 to 11 - Cat II

Carton Quantity: 40 pairs

Application Guide: Sharps, Refuse, Glass Handling, Fabrication, Needle Protection, Metal Handling, Waste Management and Recycling, Local Authorities.

EN388:2016
+ A1:2018



3X44F



Pred SAPPHIRE - Cut Level F



PRED13

13 gauge, HPPE, Steel, polyester and spandex, breathable liner offering Maximum Cut Level F Protection. Palm coated in high-quality Polyurethane (PU) offering great dry grip and light-oil resistance.

Size 8-11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Automotive, Agriculture, Component Handling, Sheet Metal Manufacturing, Engineering, Fabrication, Construction, Assembly.



EN388:2016
+ A1:2018



4X43F





Watersafe

Watersafe Gloves

WS1: Cat II	Pred ATLANTIC Cut Level 1	Page 32
------------------------	--------------------------------------	----------------

WS4: Cat II	Pred BALTIC Thermal Cut Level 2	Page 33
------------------------	--	----------------

WS3: Cat II	Pred PACIFIC Cut Level C	Page 33
------------------------	-------------------------------------	----------------

WS5: Cat II	Pred ARCTIC Thermal Cut Level E	Page 34
------------------------	--	----------------



Watersafe

Pred ATLANTIC - Cut Level 1



WS1

15 Gauge seamless knitted Nylon liner. Waterproof Dual Coated Latex with Sandy Palm Finish. This product meets the requirements for resistance to water ingress - tested under ISO15383. Superb Wet or Dry Grip.

Size 7 to 11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Perfect for External Use in Wet or Dry Conditions where good Grip and Dexterity are imperative - a great alternative to the traditional Driver's glove. Construction, Agriculture, Warehousing.

EN388:2003



3131

EN388:2016
+ A1:2018



2141X



Watersafe

Pred BALTIC - Thermal Cut Level 2



WS4

15 Gauge seamless knitted Polyester liner with a 7 Gauge Acrylic-loop inner liner. Waterproof Dual Coated Latex with Sandy Palm Finish. Superb Wet or Dry Grip. Great Thermal properties.

Size 7-11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Building, Construction, Scaffolding, Engineering, General Handling, Cold Stores, Refrigeration, Outdoor Applications, Wet Areas.

EN388:2016
+ A1:2018



2242X

EN511



X21



Watersafe

Pred PACIFIC - Cut Level C



WS3

13 Gauge seamless Ultra High Molecular one piece Azura Liner. Waterproof Dual Coated Latex with Sandy Palm Finish. This product meets the requirements for resistance to water ingress - tested under ISO15383. Superb Wet or Dry Grip.

Size 8 to 11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Perfect for External Use in Wet or Dry Conditions where good Grip, Dexterity and Cut Protection are imperative. Construction, Agriculture, Warehousing, Assembly, Glass and Recycling.

EN388:2003



3544

EN388:2016
+ A1:2018



2X43C



Watersafe

Pred ARCTIC - Thermal Cut Level E



WS5

13 Gauge Polyester Liner with a Thermal 7 Gauge Acrylic, HPPE & Steel Inner Liner. Waterproof Dual Coated Nitrile with Sandy Palm Finish. Superb Wet or Dry Grip. Great Thermal Properties. Contact Heat Level 2.

Size 8 to 11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Cold Storage, Transport, Construction, Gas & Oil, Metal Handling, Plant & Machinery, Wet or Dry Handling, Demolition, Glass, Recycling and Waste Management.

EN388:2016
+ A1:2018



4X43E

EN511



X21

EN407



X2XXXX





Touchsafe

Touchsafe Gloves

**TS1:
Cat II**

**Pred SENSOR
Cut Level 1**

Page 36

**TS4:
Cat II**

**Pred IMPACT
Cut Level F**

Page 37

Touchsafe

Pred SENSOR - Cut Level 1



TS1

15 Gauge seamless knitted Nylon and Spandex liner. Palm coated in revolutionary PolyMAX™ - suitable for use in food industries and 100% touchscreen compatible. Incredibly snug 'second skin' offers unquestionable dexterity. PolyMAX™ offers great oil resistance.

Size 8 to 11 - Cat II

Carton Quantity: 120 pairs

Application Guide: Touchscreen Compatible, Food Grade, Utilities, General Handling, Groundsmen, Automotive, Engineering.

EN388:2016
+ A1:2018



4131X

EN1186



Pred IMPACT - Cut Level F



OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



TS4

18 Gauge seamless knitted Nylon, Spandex, Azura and TekArmor™ liner. Padded Palm coated in revolutionary PolyMAX™. Cut Level F, Contact Heat Resistance up to 250°C, TPR Impact Protection with Reflective Strip and Reinforced Thumb Crutch. Suitable for use in food industries and 100% touchscreen compatible.

Size 8 to 11 - Cat II

Carton Quantity: 40 pairs

Application Guide: Touchscreen Compatible, Food Grade, High Pressure Cut Applications, Demolition, Gas & Oil, Extrication, Steel Plants.

EN388:2016
+ A1:2018



4X42FP

EN407



X2XXXX

EN1186





Mercator Gloves

RP3002700: Cat III	Ideall® Grip Orange (7 mil)	Page 39
------------------------------	---------------------------------------	----------------

RP3002600: Cat III	Ideall® Grip Black (5.2 mil)	Page 39
------------------------------	--	----------------

RD3001990: Cat III	Nitrylex® Classic (2.8 mil)	Page 40
------------------------------	---------------------------------------	----------------

Mercator

Ideall® Grip Orange (7 mil)




RP3002700

240 mm, specially formulated 7.0 mil (8.6 gram) Multi-Use Nitrile Glove, featuring diamond texture on the inner and outer to reduce hand fatigue and slips. Gloves are powder free, latex free, and silicone free. AQL 1.5. Touchscreen friendly with unrivalled traction grip.

1 Carton = 10 x boxes of 50 gloves


Sizes S/7-XXL/11 - CAT III - TYPE B - COMPLEX DESIGN

Application Guide: Agriculture, Plumbing, Insulation, Veterinary, Automotive, Assembly, Construction, Janitorial, General Handling.



Mercator

Ideall® Grip Black (5.2 mil)



RP3002600

240 mm, specially formulated 5.2 mil (6.5 gram) Multi-Use Nitrile Glove, featuring diamond texture on the inner and outer to reduce hand fatigue and slips. Gloves are powder free, latex free, and silicone free. AQL 1.5. Touchscreen friendly with unrivalled traction grip.

1 Carton = 10 x boxes of 50 gloves

Sizes M/8-XXL/11 - CAT III - TYPE B - COMPLEX DESIGN

Application Guide: Agriculture, Plumbing, Insulation, Veterinary, Automotive, Assembly, Construction, Janitorial, General Handling.



Mercator

Nitrylex® Classic (2.8 mil)




RD3001990

240 mm, specially formulated 2.8 mil (3.6 gram) Disposable Nitrile Glove. Powder free, latex free, and silicone free. AQL 1.5. MicroTexture with Additional Texture on the Fingertips for Improved Pinch Grip. Touchscreen friendly and suitable for food use.

1 Carton = 10 x boxes of 100 gloves

Sizes S/6-7-XL/9-10 - CAT III - TYPE B - COMPLEX DESIGN

Application Guide: Agriculture, Plumbing, Insulation, Veterinary, Automotive, Assembly, Construction, Janitorial, General Handling.





Sleeves and Gloves

HPPE-SL: Cat II	Pred Azura Sleeve Cut Level E	Page 42
----------------------------	--	----------------

TW-SL: Cat II	Pred Twaron® Sleeve Cut Level C	Page 42
--------------------------	--	----------------

PRKW-10: Cat II	PRED PVC	Page 43
----------------------------	-----------------	----------------

CCMPP: Cat II	Pred COTTON CHROME	Page 43
--------------------------	---------------------------	----------------

STLKW: Cat I	Pred STOCKINETTE	Page 43
-------------------------	-------------------------	----------------

STMKW: Cat I	Pred STOCKINETTE	Page 43
-------------------------	-------------------------	----------------

Coloursafe

Pred Azura Sleeve - Cut Level E



HPPE-SL14 / HPPE-SL18

13 Gauge Ultra High Molecular one piece Azura Sleeve with thumb hole offering Cut Level E protection on the palm, wrist and down the forearm. Azura is of high strength, low density and is highly durable.

Size 14" or 18" - Cat II

Carton Quantity: 100 Sleeves

Application Guide: Ideal when working in environments where Cut Protection is imperative such as Metal Fabrication, Aerospace, Appliance Manufacture and Sea Fishing.

EN388:2003



354X

EN388:2016
+ A1:2018



3X4XE



Coloursafe

Pred Twaron® Sleeve - Cut Level C



TW-SL14 / TW-SL18

13 Gauge Twaron® Aramid fibre one piece Sleeve with thumb hole offering Cut Level C protection and contact Heat Resistance up to 100°C. Twaron® has no melting point and only starts to degrade around 500°C.

Size 14" or 18" - Cat II

Carton Quantity: 100 Sleeves

Application Guide: Great for industries where Heat Protection and a level of Cut Protection are required such as Automotive Industries and Steel Foundries.

EN388:2003



133X

EN388:2016
+ A1:2018



1X4XC

EN407



X1XXXX



Pred PVC



PRKW-10

Natural cotton liner fully coated in Smooth Red PVC, Knitted Wrist for secure fit.

Size 10 - Cat II

Carton Quantity: 120 pairs

Application Guide: General Handling, Packing, Warehousing, Non-Hazardous Waste.



Pred COTTON CHROME



CCMPP

Heavy-duty 8oz cotton drill back, patch palm made from A to C grade Split Leather.

Size 10 - Cat II

Carton Quantity: 200 pairs

Application Guide: Assembly, General Handling, Packing, Warehousing, Gardening.



Pred STOCKINETTE



STLKW / STMKW

High quality 100% Cotton, Minimal Risk Stockinette liner with Knitted Wrist. Can be worn below other gloves for additional warmth and comfort. Cotton produced by own manufacturer.

Size Med (STLKW) or Lrg (STMKW) - Cat I

Carton Quantity: 600 pairs

Application Guide: Assembly Work, Gardening, General Handling, Packaging, Warehousing, Fine Arts.



Coloursafe

Watersafe

Touchsafe

Cut Level Application Guide

RED - GENERAL

- Engineering
- Construction
- Automotive
- General Handling
- Assembly
- Joinery
- Gardening
- Landscaping
- Transport
- Warehousing



ORANGE - INTERMEDIATE

- Engineering
- Construction
- Cold Storage
- Assembly
- Landscaping
- Gardening
- Light Metal Work
- Transport
- General Handling



GREEN - ADVANCED

- Plant & Machinery
- Waste Management
- Demolition
- Construction
- Assembly
- Glass Handling
- Gardening
- Utilities
- Metal Handling
- Recycling
- General Handling



BLUE - ULTIMATE

- Engineering
- Construction
- Cold Storage
- Thermal
- Assembly
- Landscaping
- Gardening
- Light Metal Work
- Transport
- General Handling



sales@just1source.com

01653 617718

www.just1source.com